Number: Revision: **BROOKHAVEN NATIONAL LABORATORY** PO-LEP-03 03 Page 1 of 3 Effective: PHYSICS DEPARTMENT 10/29/2004 Subject: Local Emergency Plan, Building 832 832-LEP.doc Prepared by: Reviewed by: Approved by: R. L. Gill S. Shapiro S. Aronson

Local Emergency Plan

PHYSICS DEPARTMENT LOCAL EMERGENCY PLAN

Building: 832 Occupancy: 15

Position	Name	Extension	Home Phone	Pager No.
Plan Preparer	R. L. Gill	3987	N/A	N/A
Building Manager	T. R. Muller	4507	878-1060	4100
Primary LEC	T. R. Muller	4507	878-1060	4100
Secondary LEC	W. Licciardi	8486	929-4663	
ES&H Coordinator	R. L. Gill	3987	744-5285	5607
ES&H Coordinator	M. J. Zarcone	5890	246-5070	8502
FSS Representative	J. J. Vignola	3846	399-4596	6160

Date Prepared: <u>January 15</u>	5, 2004		
Frequency of Review: An	nual		
Date reviewed	Reviewed By	Review Type/Pages Changed	
10/29/04	RLG	Changed MZ & added WL home phone numbers	
			
			

Every facility should establish an effective program to respond to emergencies. For this to work, every employee should be prepared to handle emergencies before they arise. This documents outlines the Employee Action Plan to address workplace emergencies.


TO REPORT A FIRE, SPILL, MEDICAL OR OTHER EMERGENCY, DIAL 911 OR 2222. IF USING A CELL PHONE, DIAL 631-344-2222. IF A TELEPHONE IS NOT AVAILABLE, USE A FIRE ALARM BOX.

Number: PO-LEP-03	Revision: 03	Effective: 10/29/2004	Page 2 of 3

EMERGENCY EVACUATION PROCEDURES AND ROUTES

Every employee should familiarize themselves with exits in their workplaces, including a second way out in case the main way is blocked.

Building Map



All employees are expected to leave the building and report to the outdoor assembly area when the fire alarm bells ring. No one is authorized to remain in the facility during an emergency.

ACCOUNTABILITY FOR EMPLOYEES

Accountability for employees should be performed after an evacuation. Based upon direction given in an emergency, all employees must assemble at the appropriate areas.

- BUILDING INDOOR ASSEMBLY AREA: Hallway at West entrance.
- BUILDING OUTDOOR ASSEMBLY AREA: Southwest of building, off of parking lot.
- SHELTER-IN-PLACE AREA: Hallway at West entrance.
- EVACUATION ZONE: 10.
- PERSONNEL ACCOUNTABILITY: The LEC or designee will account for employees. The information must be given to Fire-Rescue upon arrival.

Number: PO-LEP-03	Revision: 03	Effective: 10/29/2004	Page 3 of 3

SITE-EMERGENCY SIGNALS

- CONTINUOUS SOUNDING OF SITE SIRENS FOR FIVE MINUTES Proceed immediately to the Indoor Building Assembly Area. Await instructions that may include the nature of the emergency, the type, sequence, and routes for evacuation.
- INTERMITTENT SOUNDING OF SITE SIRENS FOR FIVE MINUTES Evacuate the Site Immediately.
- Plectron:

Location: West entrance hallway. Responsible Individual: T. R. Muller

Note: The Plectron must be placed in an area that is constantly occupied or in an area that is accessible to occupants of the buildings, e.g., corridor near mailboxes.

FOR ADDITIONAL INFORMATION OR QUESTIONS, CONTACT THE

LOCAL EMERGENCY COORDINATOR

LOCAL EMERGENCIES AND SIGNALS

FIRE: Upon notice of fire or sounding of the alarm bells, proceed immediately to the outdoor Building Assembly Area. Await instructions that may include the nature of the emergency, the type, sequence, and routes for further evacuation. When the fire alarm bells ring, a call must be made to the BNL Fire Rescue Group on extension 2222, confirming their receipt of the alarm. Any information known about the condition that caused the alarm should be given at that time.

MEDICAL: Rescue and Medical Duties - Employees are expected to help minimize damage and assist personnel during an emergency to the best of their abilities and when their safety is not threatened. The BNL Fire Rescue Group is trained, equipped, and has the main responsibility to render emergency assistance.

SPECIFIC HAZARDS:

- Radiological As posted.
- Toxicological Chemicals are used and stored in various places in the facility.
- Physical Flammability hazards exist where certain chemicals and cleaning agents are in use. Overhead cranes and other machine tools are located in the building.
- Other Electrical shock hazards may be present in the facility.

OTHER INFORMATION

Training - The Department/Division must designate and train a sufficient number of persons to assist in the safe and orderly emergency evacuation of employees for this facility. They are as follows:

- 1. T. R. Muller x4507
- 2. R. J. Liegel x2281
- 3. R. L. Gill x3987
- 4. M. J. Zarcone x2585

The (Department Chair/Division Manager/employee's supervisor/ESH Coordinator) is responsible for reviewing the plan with each employee covered by the plan. This training occurs when the plan is initially developed; whenever the employee's responsibilities or designated actions under the plan change; and whenever the plan is changed.